

Appendix H

SFPUC's Regional Water System Supply Reliability



SAN FRANCISCO PUBLIC UTILITIES COMMISSION

1145 Market St., 4th Floor, San Francisco, CA 94103 • Tel. (415) 554-3271 • Fax (415) 554-3161 • TTY (415) 934-5770



March 31, 2011

Nicole Sandkulla
Senior Water Resources Engineer
Bay Area Water Supply and Conservation Agency
155 Bovet Road, Suite 302
San Mateo, CA 94402

EDWIN M. LEE
MAYOR

FRANCESCA VIETOR
PRESIDENT

ANSON MORAN
VICE PRESIDENT

ANN MOLLER CAEN
COMMISSIONER

ART TORRES
COMMISSIONER

VINCE COURTNEY
COMMISSIONER

ED HARRINGTON
GENERAL MANAGER

Dear Nicole,

Attached please find additional information through 2035 on the Regional Water System's supply reliability for use in the Wholesale Customer's 2010 Urban Water Management Plan updates. The SFPUC has assessed the water supply reliability under the following planning scenarios:

- Projected Single dry-year supply for 2010
- Projected Multiple dry-year supply beginning 2010; and
- Projected supply reliability for years 2010-2035.

Table 1 summarizes deliveries to the Wholesale Customers for projected single dry-year supply for 2010 and projected multiple dry-year supply beginning 2010.

With regards to future demands, the SFPUC proposes to expand their water supply portfolio by increasing the types of water supply resources. Table 2 summarizes the water supply resources assumed to be available by 2035.

Concerning allocation of supply during dry years, the Water Shortage Allocation Plan ("Plan") was utilized to allocate shortages between the SFPUC and the Wholesale Customers collectively. The Plan implements a method for allocating water among the individual Wholesale Customers which has been adopted by the Wholesale Customers. The Plan was adopted pursuant to Section 7.03(a) of the 1984 Settlement Agreement and Master Water Sales Contract and has been updated to correspond to the terminology used in the June 2009 Water Supply Agreement between the City and County of San Francisco and Wholesale Customers in Alameda County, San Mateo County and Santa Clara County.

Finally, the SFPUC estimated the frequency and severity of anticipated shortages for the period 2010 through 2035. For this analysis, we assumed that the historical hydrologic period is indicative of future events and evaluated the supply reliability assuming a repeat of the actual historic hydrologic period 1920 through 2002. The results of this analysis are summarized in Table 3.

It is our understanding that you will pass this information on to the Wholesale Customers. If you have any questions or need additional information, please do not hesitate to contact me at (415) 554-0792.

Sincerely,



Paula Kehoe
Director of Water Resources



Table 1
Projected Deliveries for Three
Multiple Dry Years

		One Critical Dry Year	Deliveries during Multiple Dry Years in mgd		
			Year 1	Year 2	Year 3
System-Wide Shortage in Percent	0%	10%	10%	20%	20%
Wholesale Allocation (mgd)	184.0	152.6	152.6	132.5	132.5

Table 2
UWMP Studies: Water Supply
Reliability
Water Supply Options for Years 2010
through 2030

	2010	2015	2020	2025	2030	2035
Crystal Springs Reservoir (20.28bg)		x	x	x	x	x
Westside Basin Groundwater afa		8,100	8,100	8,100	8,100	8,100
Calaveras Reservoir Recovery (31.5 bg)		x	x	x	x	x
Districts' Transfer afa		2240	2240	2240	2240	2240

Table 3: Projected System Supply Reliability Based on Historical Hydrologic Period

Allocation by Year	Wholesale Demand in mgd					
	184.0	184.0	184.0	184.0	184.0	184.0
	Projected Wholesale Allocation in mgd					
Delivery for Fiscal Year	2010	2015	2020	2025	2030	2035
1920	184.0	184.0	184.0	184.0	184.0	184.0
1921	184.0	184.0	184.0	184.0	184.0	184.0
1922	184.0	184.0	184.0	184.0	184.0	184.0
1923	184.0	184.0	184.0	184.0	184.0	184.0
1924	184.0	184.0	184.0	184.0	184.0	184.0
1925	154.6	184.0	184.0	184.0	184.0	184.0
1926	184.0	184.0	184.0	184.0	184.0	184.0
1927	184.0	184.0	184.0	184.0	184.0	184.0
1928	184.0	184.0	184.0	184.0	184.0	184.0
1929	184.0	184.0	184.0	184.0	184.0	184.0
1930	184.0	184.0	184.0	184.0	184.0	184.0
1931	184.0	184.0	184.0	184.0	184.0	184.0
1932	132.5	152.6	152.6	152.6	152.6	152.6
1933	184.0	184.0	184.0	184.0	184.0	184.0
1934	184.0	184.0	184.0	184.0	184.0	184.0
1935	154.6	184.0	184.0	184.0	184.0	184.0
1936	184.0	184.0	184.0	184.0	184.0	184.0
1937	184.0	184.0	184.0	184.0	184.0	184.0
1938	184.0	184.0	184.0	184.0	184.0	184.0
1939	184.0	184.0	184.0	184.0	184.0	184.0
1940	184.0	184.0	184.0	184.0	184.0	184.0
1941	184.0	184.0	184.0	184.0	184.0	184.0
1942	184.0	184.0	184.0	184.0	184.0	184.0
1943	184.0	184.0	184.0	184.0	184.0	184.0
1944	184.0	184.0	184.0	184.0	184.0	184.0
1945	184.0	184.0	184.0	184.0	184.0	184.0
1946	184.0	184.0	184.0	184.0	184.0	184.0
1947	184.0	184.0	184.0	184.0	184.0	184.0
1948	184.0	184.0	184.0	184.0	184.0	184.0
1949	184.0	184.0	184.0	184.0	184.0	184.0
1950	184.0	184.0	184.0	184.0	184.0	184.0
1951	184.0	184.0	184.0	184.0	184.0	184.0
1952	184.0	184.0	184.0	184.0	184.0	184.0
1953	184.0	184.0	184.0	184.0	184.0	184.0
1954	184.0	184.0	184.0	184.0	184.0	184.0
1955	184.0	184.0	184.0	184.0	184.0	184.0
1956	184.0	184.0	184.0	184.0	184.0	184.0
1957	184.0	184.0	184.0	184.0	184.0	184.0
1958	184.0	184.0	184.0	184.0	184.0	184.0
1959	184.0	184.0	184.0	184.0	184.0	184.0

Delivery for Fiscal Year	2010	2015	2020	2025	2030	2035
1960	184.0	184.0	184.0	184.0	184.0	184.0
1961	152.6	184.0	184.0	184.0	184.0	184.0
1962	132.5	152.6	152.6	152.6	152.6	152.6
1963	184.0	184.0	184.0	184.0	184.0	184.0
1964	184.0	184.0	184.0	184.0	184.0	184.0
1965	184.0	184.0	184.0	184.0	184.0	184.0
1966	184.0	184.0	184.0	184.0	184.0	184.0
1967	184.0	184.0	184.0	184.0	184.0	184.0
1968	184.0	184.0	184.0	184.0	184.0	184.0
1969	184.0	184.0	184.0	184.0	184.0	184.0
1970	184.0	184.0	184.0	184.0	184.0	184.0
1971	184.0	184.0	184.0	184.0	184.0	184.0
1972	184.0	184.0	184.0	184.0	184.0	184.0
1973	184.0	184.0	184.0	184.0	184.0	184.0
1974	184.0	184.0	184.0	184.0	184.0	184.0
1975	184.0	184.0	184.0	184.0	184.0	184.0
1976	184.0	184.0	184.0	184.0	184.0	184.0
1977	152.6	184.0	184.0	184.0	184.0	184.0
1978	136.2	152.6	152.6	152.6	152.6	152.6
1979	184.0	184.0	184.0	184.0	184.0	184.0
1980	184.0	184.0	184.0	184.0	184.0	184.0
1981	184.0	184.0	184.0	184.0	184.0	184.0
1982	184.0	184.0	184.0	184.0	184.0	184.0
1983	184.0	184.0	184.0	184.0	184.0	184.0
1984	184.0	184.0	184.0	184.0	184.0	184.0
1985	184.0	184.0	184.0	184.0	184.0	184.0
1986	184.0	184.0	184.0	184.0	184.0	184.0
1987	184.0	184.0	184.0	184.0	184.0	184.0
1988	152.6	184.0	184.0	184.0	184.0	184.0
1989	132.5	152.6	152.6	152.6	152.6	152.6
1990	132.5	152.6	152.6	152.6	152.6	152.6
1991	132.5	132.5	132.5	132.5	132.5	132.5
1992	132.5	152.6	152.6	152.6	152.6	152.6
1993	136.2	132.5	132.5	132.5	132.5	132.5
1994	184.0	184.0	184.0	184.0	184.0	184.0
1995	154.6	184.0	184.0	184.0	184.0	184.0
1996	184.0	184.0	184.0	184.0	184.0	184.0
1997	184.0	184.0	184.0	184.0	184.0	184.0
1998	184.0	184.0	184.0	184.0	184.0	184.0
1999	184.0	184.0	184.0	184.0	184.0	184.0
2000	184.0	184.0	184.0	184.0	184.0	184.0
2001	184.0	184.0	184.0	184.0	184.0	184.0
2002	184.0	184.0	184.0	184.0	184.0	184.0